Fluid Phase Equilibria, 46 (1989) 301–302
Elsevier Science Publishers B.V., Amsterdam – Printed in The Netherlands

Contents Volume 46 (1989)

Volume 46, No. 1

On the prediction of thermodynamic properties of simple real fluid mixtures from perturbation theory
K.P. Shukla (Clemson, SC, U.S.A.) 1– 24

Solubility of tetracosane in aliphatic alcohols
U. Domańska, K. Domański (Warsaw, Poland), C. Klofutar and Š. Paljk (Ljubljana, Yugoslavia) 25– 39

Vapour–liquid equilibria for binary mixtures of carbon dioxide and fatty acid methyl esters
H. Inomata, T. Kondo, S. Hirohama, K. Arai, Y. Suzuki and M. Konno (Sendai, Japan) 41– 52

Isothermal vapour–liquid equilibrium data of the benzene–propylene system at 25 °C
H. Yamamoto, K. Ohgaki and T. Katayama (Osaka, Japan) 53– 58

Thermodynamic properties of decalins mixed with hexane isomers at 298.15 K. I. Excess enthalpies and excess isobaric heat capacities
K. Ohnishi, I. Fujihara and S. Murakami (Osaka, Japan) 59– 72

Thermodynamic properties of decalins mixed with hexane isomers at 298.15 K. II. Excess volumes and isentropic compressibilities
K. Ohnishi, I. Fujihara and S. Murakami (Osaka, Japan) 73– 84

The effect of fluid properties on ebulliometer operation
P. Kneisl, J.W. Zondlo, W.B. Whiting (Morgantown, WV, U.S.A.) and M. Bedell (Auburn, AL, U.S.A.) 85– 94

Isobaric vapour–liquid equilibria of the systems: benzene–triethylene glycol, toluene–triethylene glycol and benzene–*N*-methylpyrrolidone
S.K. Gupta, B.S. Rawat, A.N. Goswami, S.M. Nanoti and R. Krishna (Dehra Dun, India) 95–102

Short Communication

Correlation of VLE of CO_2–NH_3–H_2O using the perturbed hard-sphere equation of state
K. Mishima, Y. Arai (Fukuoka, Japan), M. Watanabe and C. Nishino (Kashima-gun, Japan) 103–112

Volume 46, Nos. 2–3

Equation of state in the acentric factor system
D.R. Schreiber and K.S. Pitzer (Berkeley, CA, U.S.A.) 113–130

Thermodynamics of binary mixtures containing oxaalkanes. Part 3. Monoethers, polyethers, acetals, orthoesters and cyclic monoethers + n-alkanes or cyclohexane
H.V. Kehiaian, M.R. Tiné (Paris, France), L. Lepori, E. Matteoli (Pisa, Italy) and B. Marongiu (Cagliari, Italy) 131–177

Correlation of synthesis gas solubility in n-paraffin solvents and Fischer–Tropsch waxes
J.S. Chou and K.C. Chao (West Lafayette, IN, U.S.A.) 179–195
A cubic equation of state for predicting vapor–liquid equilibria of hydrocarbon mixtures using a group contribution mixing rule
Yu-Jane Sheng, Yan-Ping Chen (Taipei, Taiwan) and David Shan-Hill Wong (Hsinchu, Taiwan) 197–210
Excess enthalpies of binary mixtures of di-n-pentyl ether with n-alkanes at 298.15 K
Luo Wang, G.C. Benson and Benjamin C.-Y. Lu (Ottawa, Ont., Canada) ... 211–221
Solubility of n-alkanols (C_{16}, C_{18}, C_{20}) in binary solvent mixtures
U. Domańska (Warsaw, Poland) 223–248
Preferential solvation of copper(II) salts in water–pyridine and water–dimethyl sulphoxide mixtures
G. Rajendran, T.K. Sreekumar and C. Kalidas (Madras, India) 249–258
Excess volumes of n-pentylacetate with alkanes, cycloalkanes and aromatics at 303.15 K
Akl M. Awwad, Kifah A. Jbara and Amar H. Al-Dujaili (Baghdad, Iraq) ... 259–265
Solubility of 1,3-butadiene and methyl propene in n-methyl-2-pyrrolidone
J. Vladimir de Oliveira and A.M. Cohen Uller (Rio de Janeiro, Brazil) 267–280
Determination of the thermodynamic equilibrium constant of the extraction system HNO_3–tributylphosphate (TBP)–n-C_7H_{16}
Z. Li, T. Bao, Y. Shang and Y. Li (Beijing, China) 281–293

Short Communication
Flory theory prediction of V^E and associated systems
M-E. Saint-Victor, A.J Treszczanowicz and D. Patterson (Montréal, P.Q., Canada) 295–298

Author Index 299

Contents of Volume 46 (1989) 301–302